

ESOPHAGUS
BOTH SEXES

TABLE 1A. -- Characteristics of persons reported to the Danish Cancer Registry with an initial cancer of the esophagus, 1943-80+

| Category | Male | Female | Total |
|--|-------|--------|-------|
| No. with first primary cancer* | 2,778 | 1,406 | 4,184 |
| No. who developed a second primary cancer | 33 | 22 | 55 |
| Average age at diagnosis of first cancer, yr | 68 | 71 | 69 |
| Average yr of diagnosis of first cancer | 1962 | 1962 | 1962 |
| Person-yr of follow-up | 3,106 | 1,990 | 5,096 |
| Average follow-up, yr | 1.1 | 1.4 | 1.2 |
| Percent given radiotherapy for first cancer | 50 | 50 | 50 |

+ ICD-7 code = 150.

* Number excludes all persons who survived less than 2 mo after the diagnosis of their first primary cancer or who developed a simultaneous cancer during this period. First primary cancers diagnosed only at autopsy or by death certificate are also excluded as are in situ cancers.

TABLE 1B. -- Microscopic confirmation among persons who developed second primary cancers after an initial cancer of the esophagus in Denmark, 1943-80

| Microscopically confirmed | No. | Percent+ |
|---------------------------------|-----|----------|
| Both first and second cancers | 39 | 70.9 |
| Only the first cancer | 10 | 18.2 |
| Only the second cancer | 3 | 5.5 |
| Neither first nor second cancer | 3 | 5.5 |
| Total second primary cancers | 55 | 100.0 |

+ Minor discrepancies between table entries, and row and column sums in this and subsequent tables are due to rounding.

ESOPHAGUS
BOTH SEXES

TABLE 1C. -- Observed (O) and expected (E) numbers of second primary cancers by years after diagnosis of an initial cancer of the esophagus among males and females in Denmark, 1943-80+

| No. starting interval Person-yr in interval | Yr after first primary cancer diagnosis | | | | | | | | | | | | Total | | |
|--|---|-------|------|--------|-------|------|--------|------|------|--------|------|------|-------|-------|------|
| | <1 yr | | | 1-4 yr | | | 5-9 yr | | | 10+ yr | | | | | |
| Second primary cancer site | O | E | O/E | O | E | O/E | O | E | O/E | O | E | O/E | O | E | O/E |
| All second cancers | 17 | 28.81 | 0.6* | 18 | 18.36 | 1.0 | 11 | 8.95 | 1.2 | 9 | 7.93 | 1.1 | 55 | 64.05 | 0.9 |
| All excluding site of initial cancer | 17 | 28.24 | 0.6* | 18 | 18.06 | 1.0 | 11 | 8.82 | 1.2 | 9 | 7.83 | 1.1 | 55 | 62.94 | 0.9 |
| Buccal cavity, pharynx | 0 | 0.79 | 0.0 | 1 | 0.47 | 2.1 | 2 | 0.21 | 9.5* | 0 | 0.18 | 0.0 | 3 | 1.65 | 1.8 |
| Lip | 0 | 0.38 | 0.0 | 0 | 0.22 | 0.0 | 1 | 0.10 | 10.0 | 0 | 0.08 | 0.0 | 1 | 0.77 | 1.3 |
| Tongue | 0 | 0.08 | 0.0 | 0 | 0.05 | 0.0 | 1 | 0.02 | 50.0 | 0 | 0.02 | 0.0 | 1 | 0.16 | 6.3 |
| Salivary gland | 0 | 0.08 | 0.0 | 0 | 0.05 | 0.0 | 0 | 0.02 | 0.0 | 0 | 0.02 | 0.0 | 0 | 0.17 | 0.0 |
| Gum, other mouth | 0 | 0.13 | 0.0 | 0 | 0.08 | 0.0 | 0 | 0.04 | 0.0 | 0 | 0.03 | 0.0 | 0 | 0.29 | 0.0 |
| Pharynx | 0 | 0.12 | 0.0 | 1 | 0.08 | 12.5 | 0 | 0.03 | 0.0 | 0 | 0.03 | 0.0 | 1 | 0.25 | 4.0 |
| Digestive system | 7 | 12.25 | 0.6 | 3 | 7.29 | 0.4 | 1 | 3.45 | 0.3 | 2 | 2.90 | 0.7 | 13 | 25.88 | 0.5* |
| Esophagus | 0 | 0.57 | 0.0 | 0 | 0.30 | 0.0 | 0 | 0.13 | 0.0 | 0 | 0.10 | 0.0 | 0 | 1.11 | 0.0 |
| Stomach | 2 | 4.25 | 0.5 | 2 | 2.29 | 0.9 | 1 | 0.99 | 1.0 | 0 | 0.74 | 0.0 | 5 | 8.28 | 0.6 |
| Colon | 1 | 2.84 | 0.4 | 0 | 1.81 | 0.0 | 0 | 0.92 | 0.0 | 1 | 0.82 | 1.2 | 2 | 6.40 | 0.3 |
| Rectum | 2 | 2.46 | 0.8 | 1 | 1.47 | 0.7 | 0 | 0.68 | 0.0 | 0 | 0.58 | 0.0 | 3 | 5.20 | 0.6 |
| Liver, biliary | 1 | 0.64 | 1.6 | 0 | 0.46 | 0.0 | 0 | 0.24 | 0.0 | 0 | 0.22 | 0.0 | 1 | 1.56 | 0.6 |
| Pancreas | 1 | 1.01 | 1.0 | 0 | 0.69 | 0.0 | 0 | 0.35 | 0.0 | 1 | 0.33 | 3.0 | 2 | 2.40 | 0.8 |
| Respiratory system | 0 | 3.65 | 0.0 | 3 | 2.49 | 1.2 | 1 | 1.24 | 0.8 | 2 | 1.21 | 1.7 | 6 | 8.58 | 0.7 |
| Nasal cavities, sinuses | 0 | 0.08 | 0.0 | 0 | 0.04 | 0.0 | 0 | 0.02 | 0.0 | 0 | 0.01 | 0.0 | 0 | 0.16 | 0.0 |
| Larynx | 0 | 0.25 | 0.0 | 0 | 0.16 | 0.0 | 0 | 0.08 | 0.0 | 0 | 0.08 | 0.0 | 0 | 0.56 | 0.0 |
| Trachea, bronchus, lung | 0 | 3.10 | 0.0 | 3 | 2.15 | 1.4 | 1 | 1.07 | 0.9 | 2 | 1.06 | 1.9 | 6 | 7.39 | 0.8 |
| Female breast | 0 | 1.79 | 0.0 | 3 | 1.34 | 2.2 | 2 | 0.69 | 2.9 | 2 | 0.57 | 3.5 | 7 | 4.39 | 1.6 |
| Female genital tract | 1 | 1.41 | 0.7 | 2 | 1.08 | 1.8 | 0 | 0.55 | 0.0 | 1 | 0.47 | 2.1 | 4 | 3.51 | 1.1 |
| Cervix uteri | 0 | 0.39 | 0.0 | 2 | 0.29 | 6.8 | 0 | 0.14 | 0.0 | 1 | 0.11 | 8.9 | 3 | 0.94 | 3.2 |
| Corpus uteri | 0 | 0.40 | 0.0 | 0 | 0.32 | 0.0 | 0 | 0.17 | 0.0 | 0 | 0.14 | 0.0 | 0 | 1.03 | 0.0 |
| Uterus, NOS | 0 | 0.06 | 0.0 | 0 | 0.04 | 0.0 | 0 | 0.02 | 0.0 | 0 | 0.01 | 0.0 | 0 | 0.12 | 0.0 |
| Ovary, fallopian tubes | 0 | 0.43 | 0.0 | 0 | 0.34 | 0.0 | 0 | 0.18 | 0.0 | 0 | 0.16 | 0.0 | 0 | 1.11 | 0.0 |
| Prostate gland | 1 | 2.65 | 0.4 | 2 | 1.58 | 1.3 | 3 | 0.77 | 3.9 | 1 | 0.76 | 1.3 | 7 | 5.77 | 1.2 |
| Testis | 0 | 0.06 | 0.0 | 0 | 0.03 | 0.0 | 0 | 0.01 | 0.0 | 0 | 0.01 | 0.0 | 0 | 0.12 | 0.0 |
| Kidney, renal pelvis, ureter | 5 | 0.82 | 6.1* | 0 | 0.55 | 0.0 | 0 | 0.28 | 0.0 | 0 | 0.24 | 0.0 | 5 | 1.89 | 2.6 |
| Bladder, other urinary | 2 | 1.64 | 1.2 | 0 | 1.09 | 0.0 | 1 | 0.54 | 1.9 | 0 | 0.54 | 0.0 | 3 | 3.81 | 0.8 |
| Melanoma of the skin | 0 | 0.23 | 0.0 | 0 | 0.17 | 0.0 | 0 | 0.08 | 0.0 | 0 | 0.07 | 0.0 | 0 | 0.54 | 0.0 |
| Eye | 0 | 0.08 | 0.0 | 0 | 0.05 | 0.0 | 0 | 0.02 | 0.0 | 0 | 0.02 | 0.0 | 0 | 0.18 | 0.0 |
| Brain, central nervous system | 0 | 0.38 | 0.0 | 0 | 0.27 | 0.0 | 0 | 0.14 | 0.0 | 0 | 0.12 | 0.0 | 0 | 0.91 | 0.0 |
| Thyroid gland | 0 | 0.12 | 0.0 | 0 | 0.08 | 0.0 | 0 | 0.05 | 0.0 | 0 | 0.03 | 0.0 | 0 | 0.27 | 0.0 |
| Bone | 0 | 0.06 | 0.0 | 0 | 0.03 | 0.0 | 0 | 0.02 | 0.0 | 0 | 0.01 | 0.0 | 0 | 0.11 | 0.0 |
| Connective tissue | 0 | 0.10 | 0.0 | 0 | 0.06 | 0.0 | 0 | 0.03 | 0.0 | 0 | 0.02 | 0.0 | 0 | 0.21 | 0.0 |
| Lymphatic, hematopoietic system | 0 | 1.62 | 0.0 | 1 | 1.08 | 0.9 | 1 | 0.54 | 1.9 | 1 | 0.50 | 2.0 | 3 | 3.74 | 0.8 |
| Non-Hodgkin's lymphoma | 0 | 0.43 | 0.0 | 0 | 0.29 | 0.0 | 1 | 0.15 | 6.7 | 0 | 0.13 | 0.0 | 1 | 1.00 | 1.0 |
| Hodgkin's disease | 0 | 0.11 | 0.0 | 0 | 0.07 | 0.0 | 0 | 0.03 | 0.0 | 1 | 0.03 | 33.3 | 1 | 0.24 | 4.2 |
| Multiple myeloma | 0 | 0.30 | 0.0 | 0 | 0.21 | 0.0 | 0 | 0.10 | 0.0 | 0 | 0.10 | 0.0 | 0 | 0.71 | 0.0 |
| Leukemias | 0 | 0.77 | 0.0 | 1 | 0.50 | 2.0 | 0 | 0.25 | 0.0 | 0 | 0.22 | 0.0 | 1 | 1.75 | 0.6 |
| Chronic lymphocytic | 0 | 0.43 | 0.0 | 1 | 0.28 | 3.6 | 0 | 0.13 | 0.0 | 0 | 0.12 | 0.0 | 1 | 0.95 | 1.1 |
| Acute nonlymphocytic | 0 | 0.16 | 0.0 | 0 | 0.11 | 0.0 | 0 | 0.06 | 0.0 | 0 | 0.06 | 0.0 | 0 | 0.40 | 0.0 |

+ ICD-7 code = 150.

* P<.05.

ESOPHAGUS
MALES

TABLE 1D. -- Observed (O) and expected (E) numbers of second primary cancers by years after diagnosis of an initial cancer of the esophagus among males in Denmark, 1943-80+

| No. starting interval Person-yr in interval | Yr after first primary cancer diagnosis | | | | | | | | | | | | Total | | |
|--|---|-------|------|--------|-------|------|--------|------|------|--------|------|-----|-------|-------|------|
| | <1 yr | | | 1-4 yr | | | 5-9 yr | | | 10+ yr | | | | | |
| Second primary cancer site | O | E | O/E | O | E | O/E | O | E | O/E | O | E | O/E | O | E | O/E |
| All second cancers | 13 | 19.24 | 0.7 | 10 | 11.41 | 0.9 | 7 | 5.34 | 1.3 | 3 | 4.93 | 0.6 | 33 | 40.92 | 0.8 |
| All excluding site of initial cancer | 13 | 18.81 | 0.7 | 10 | 11.19 | 0.9 | 7 | 5.25 | 1.3 | 3 | 4.86 | 0.6 | 33 | 40.11 | 0.8 |
| Buccal cavity, pharynx | 0 | 0.65 | 0.0 | 1 | 0.37 | 2.7 | 1 | 0.16 | 6.2 | 0 | 0.14 | 0.0 | 2 | 1.32 | 1.5 |
| Lip | 0 | 0.36 | 0.0 | 0 | 0.20 | 0.0 | 1 | 0.09 | 11.3 | 0 | 0.07 | 0.0 | 1 | 0.72 | 1.4 |
| Tongue | 0 | 0.05 | 0.0 | 0 | 0.03 | 0.0 | 0 | 0.01 | 0.0 | 0 | 0.01 | 0.0 | 0 | 0.10 | 0.0 |
| Salivary gland | 0 | 0.05 | 0.0 | 0 | 0.03 | 0.0 | 0 | 0.01 | 0.0 | 0 | 0.01 | 0.0 | 0 | 0.11 | 0.0 |
| Gum, other mouth | 0 | 0.09 | 0.0 | 0 | 0.05 | 0.0 | 0 | 0.02 | 0.0 | 0 | 0.02 | 0.0 | 0 | 0.19 | 0.0 |
| Pharynx | 0 | 0.10 | 0.0 | 1 | 0.06 | 17.5 | 0 | 0.02 | 0.0 | 0 | 0.02 | 0.0 | 1 | 0.20 | 4.9 |
| Digestive system | 5 | 8.25 | 0.6 | 3 | 4.55 | 0.7 | 1 | 2.04 | 0.5 | 0 | 1.75 | 0.0 | 9 | 16.58 | 0.5 |
| Esophagus | 0 | 0.43 | 0.0 | 0 | 0.22 | 0.0 | 0 | 0.09 | 0.0 | 0 | 0.07 | 0.0 | 0 | 0.81 | 0.0 |
| Stomach | 2 | 2.97 | 0.7 | 2 | 1.52 | 1.3 | 1 | 0.63 | 1.6 | 0 | 0.48 | 0.0 | 5 | 5.61 | 0.9 |
| Colon | 0 | 1.72 | 0.0 | 0 | 0.99 | 0.0 | 0 | 0.48 | 0.0 | 0 | 0.44 | 0.0 | 0 | 3.63 | 0.0 |
| Rectum | 2 | 1.81 | 1.1 | 1 | 1.01 | 1.0 | 0 | 0.45 | 0.0 | 0 | 0.39 | 0.0 | 3 | 3.66 | 0.8 |
| Liver, biliary | 0 | 0.35 | 0.0 | 0 | 0.23 | 0.0 | 0 | 0.11 | 0.0 | 0 | 0.11 | 0.0 | 0 | 0.80 | 0.0 |
| Pancreas | 1 | 0.68 | 1.5 | 0 | 0.43 | 0.0 | 0 | 0.21 | 0.0 | 0 | 0.20 | 0.0 | 1 | 1.54 | 0.7 |
| Respiratory system | 0 | 3.22 | 0.0 | 2 | 2.15 | 0.9 | 1 | 1.06 | 0.9 | 2 | 1.05 | 1.9 | 5 | 7.47 | 0.7 |
| Nasal cavities, sinuses | 0 | 0.06 | 0.0 | 0 | 0.03 | 0.0 | 0 | 0.01 | 0.0 | 0 | 0.01 | 0.0 | 0 | 0.12 | 0.0 |
| Larynx | 0 | 0.23 | 0.0 | 0 | 0.15 | 0.0 | 0 | 0.07 | 0.0 | 0 | 0.07 | 0.0 | 0 | 0.52 | 0.0 |
| Trachea, bronchus, lung | 0 | 2.76 | 0.0 | 2 | 1.87 | 1.1 | 1 | 0.92 | 1.1 | 2 | 0.92 | 2.2 | 5 | 6.47 | 0.8 |
| Prostate gland | 1 | 2.65 | 0.4 | 2 | 1.58 | 1.3 | 3 | 0.77 | 3.9 | 1 | 0.76 | 1.3 | 7 | 5.77 | 1.2 |
| Testis | 0 | 0.06 | 0.0 | 0 | 0.03 | 0.0 | 0 | 0.01 | 0.0 | 0 | 0.01 | 0.0 | 0 | 0.12 | 0.0 |
| Kidney, renal pelvis, ureter | 5 | 0.58 | 8.7* | 0 | 0.36 | 0.0 | 0 | 0.18 | 0.0 | 0 | 0.16 | 0.0 | 5 | 1.28 | 3.9* |
| Bladder, other urinary | 2 | 1.38 | 1.4 | 0 | 0.89 | 0.0 | 1 | 0.43 | 2.3 | 0 | 0.44 | 0.0 | 3 | 3.14 | 1.0 |
| Melanoma of the skin | 0 | 0.14 | 0.0 | 0 | 0.09 | 0.0 | 0 | 0.04 | 0.0 | 0 | 0.04 | 0.0 | 0 | 0.30 | 0.0 |
| Eye | 0 | 0.06 | 0.0 | 0 | 0.03 | 0.0 | 0 | 0.01 | 0.0 | 0 | 0.01 | 0.0 | 0 | 0.12 | 0.0 |
| Brain, central nervous system | 0 | 0.25 | 0.0 | 0 | 0.17 | 0.0 | 0 | 0.08 | 0.0 | 0 | 0.07 | 0.0 | 0 | 0.57 | 0.0 |
| Thyroid gland | 0 | 0.05 | 0.0 | 0 | 0.03 | 0.0 | 0 | 0.02 | 0.0 | 0 | 0.01 | 0.0 | 0 | 0.11 | 0.0 |
| Bone | 0 | 0.04 | 0.0 | 0 | 0.02 | 0.0 | 0 | 0.01 | 0.0 | 0 | 0.01 | 0.0 | 0 | 0.07 | 0.0 |
| Connective tissue | 0 | 0.07 | 0.0 | 0 | 0.04 | 0.0 | 0 | 0.02 | 0.0 | 0 | 0.01 | 0.0 | 0 | 0.14 | 0.0 |
| Lymphatic, hematopoietic system | 0 | 1.15 | 0.0 | 0 | 0.71 | 0.0 | 0 | 0.34 | 0.0 | 0 | 0.32 | 0.0 | 0 | 2.52 | 0.0 |
| Non-Hodgkin's lymphoma | 0 | 0.29 | 0.0 | 0 | 0.18 | 0.0 | 0 | 0.09 | 0.0 | 0 | 0.08 | 0.0 | 0 | 0.64 | 0.0 |
| Hodgkin's disease | 0 | 0.08 | 0.0 | 0 | 0.05 | 0.0 | 0 | 0.02 | 0.0 | 0 | 0.02 | 0.0 | 0 | 0.17 | 0.0 |
| Multiple myeloma | 0 | 0.21 | 0.0 | 0 | 0.13 | 0.0 | 0 | 0.06 | 0.0 | 0 | 0.06 | 0.0 | 0 | 0.46 | 0.0 |
| Leukemias | 0 | 0.56 | 0.0 | 0 | 0.34 | 0.0 | 0 | 0.16 | 0.0 | 0 | 0.15 | 0.0 | 0 | 1.22 | 0.0 |
| Chronic lymphocytic | 0 | 0.33 | 0.0 | 0 | 0.20 | 0.0 | 0 | 0.09 | 0.0 | 0 | 0.09 | 0.0 | 0 | 0.70 | 0.0 |
| Acute nonlymphocytic | 0 | 0.11 | 0.0 | 0 | 0.07 | 0.0 | 0 | 0.04 | 0.0 | 0 | 0.04 | 0.0 | 0 | 0.26 | 0.0 |

+ ICD-7 code = 150.

* P<.05.

ESOPHAGUS
FEMALES

TABLE 1E. -- Observed (O) and expected (E) numbers of second primary cancers by years after diagnosis of an initial cancer of the esophagus among females in Denmark, 1943-80+

| No. starting interval Person-yr in interval | Yr after first primary cancer diagnosis | | | | | | | | | | | | Total | | |
|--|---|------|-----|--------|------|------|--------|------|--------|--------|------|--------|-------|-------|------|
| | <1 yr | | | 1-4 yr | | | 5-9 yr | | | 10+ yr | | | | | |
| | O | E | O/E | O | E | O/E | O | E | O/E | O | E | O/E | O | E | O/E |
| All second cancers | 4 | 9.57 | 0.4 | 8 | 6.95 | 1.2 | 4 | 3.61 | 1.1 | 6 | 3.00 | 2.0 | 22 | 23.13 | 1.0 |
| All excluding site of initial cancer | 4 | 9.43 | 0.4 | 8 | 6.87 | 1.2 | 4 | 3.57 | 1.1 | 6 | 2.97 | 2.0 | 22 | 22.83 | 1.0 |
| Buccal cavity, pharynx | 0 | 0.14 | 0.0 | 0 | 0.10 | 0.0 | 1 | 0.05 | 19.6 | 0 | 0.04 | 0.0 | 1 | 0.33 | 3.0 |
| Lip | 0 | 0.02 | 0.0 | 0 | 0.02 | 0.0 | 0 | 0.01 | 0.0 | 0 | 0.01 | 0.0 | 0 | 0.05 | 0.0 |
| Tongue | 0 | 0.03 | 0.0 | 0 | 0.02 | 0.0 | 1 | 0.01 | 103.6* | 0 | 0.01 | 0.0 | 1 | 0.06 | 15.7 |
| Salivary gland | 0 | 0.03 | 0.0 | 0 | 0.02 | 0.0 | 0 | 0.01 | 0.0 | 0 | 0.01 | 0.0 | 0 | 0.06 | 0.0 |
| Gum, other mouth | 0 | 0.04 | 0.0 | 0 | 0.03 | 0.0 | 0 | 0.02 | 0.0 | 0 | 0.01 | 0.0 | 0 | 0.10 | 0.0 |
| Pharynx | 0 | 0.02 | 0.0 | 0 | 0.02 | 0.0 | 0 | 0.01 | 0.0 | 0 | 0.01 | 0.0 | 0 | 0.05 | 0.0 |
| Digestive system | 2 | 4.00 | 0.5 | 0 | 2.74 | 0.0 | 0 | 1.41 | 0.0 | 2 | 1.15 | 1.7 | 4 | 9.30 | 0.4 |
| Esophagus | 0 | 0.14 | 0.0 | 0 | 0.08 | 0.0 | 0 | 0.04 | 0.0 | 0 | 0.03 | 0.0 | 0 | 0.30 | 0.0 |
| Stomach | 0 | 1.28 | 0.0 | 0 | 0.77 | 0.0 | 0 | 0.36 | 0.0 | 0 | 0.26 | 0.0 | 0 | 2.67 | 0.0 |
| Colon | 1 | 1.12 | 0.9 | 0 | 0.82 | 0.0 | 0 | 0.44 | 0.0 | 1 | 0.38 | 2.6 | 2 | 2.77 | 0.7 |
| Rectum | 0 | 0.65 | 0.0 | 0 | 0.46 | 0.0 | 0 | 0.23 | 0.0 | 0 | 0.19 | 0.0 | 0 | 1.54 | 0.0 |
| Liver, biliary | 1 | 0.29 | 3.4 | 0 | 0.23 | 0.0 | 0 | 0.13 | 0.0 | 0 | 0.11 | 0.0 | 1 | 0.76 | 1.3 |
| Pancreas | 0 | 0.33 | 0.0 | 0 | 0.26 | 0.0 | 0 | 0.14 | 0.0 | 1 | 0.13 | 7.7 | 1 | 0.86 | 1.2 |
| Respiratory system | 0 | 0.43 | 0.0 | 1 | 0.34 | 2.9 | 0 | 0.18 | 0.0 | 0 | 0.16 | 0.0 | 1 | 1.11 | 0.9 |
| Nasal cavities, sinuses | 0 | 0.02 | 0.0 | 0 | 0.01 | 0.0 | 0 | 0.01 | 0.0 | 0 | 0.00 | 0.0 | 0 | 0.04 | 0.0 |
| Larynx | 0 | 0.02 | 0.0 | 0 | 0.01 | 0.0 | 0 | 0.01 | 0.0 | 0 | 0.01 | 0.0 | 0 | 0.04 | 0.0 |
| Trachea, bronchus, lung | 0 | 0.34 | 0.0 | 1 | 0.28 | 3.5 | 0 | 0.15 | 0.0 | 0 | 0.14 | 0.0 | 1 | 0.92 | 1.1 |
| Female breast | 0 | 1.79 | 0.0 | 3 | 1.34 | 2.2 | 2 | 0.69 | 2.9 | 2 | 0.57 | 3.5 | 7 | 4.39 | 1.6 |
| Female genital tract | 1 | 1.41 | 0.7 | 2 | 1.08 | 1.8 | 0 | 0.55 | 0.0 | 1 | 0.47 | 2.1 | 4 | 3.51 | 1.1 |
| Cervix uteri | 0 | 0.39 | 0.0 | 2 | 0.29 | 6.8 | 0 | 0.14 | 0.0 | 1 | 0.11 | 8.9 | 3 | 0.94 | 3.2 |
| Corpus uteri | 0 | 0.40 | 0.0 | 0 | 0.32 | 0.0 | 0 | 0.17 | 0.0 | 0 | 0.14 | 0.0 | 0 | 1.03 | 0.0 |
| Uterus, NOS | 0 | 0.06 | 0.0 | 0 | 0.04 | 0.0 | 0 | 0.02 | 0.0 | 0 | 0.01 | 0.0 | 0 | 0.12 | 0.0 |
| Ovary, fallopian tubes | 0 | 0.43 | 0.0 | 0 | 0.34 | 0.0 | 0 | 0.18 | 0.0 | 0 | 0.16 | 0.0 | 0 | 1.11 | 0.0 |
| Kidney, renal pelvis, ureter | 0 | 0.24 | 0.0 | 0 | 0.19 | 0.0 | 0 | 0.10 | 0.0 | 0 | 0.08 | 0.0 | 0 | 0.61 | 0.0 |
| Bladder, other urinary | 0 | 0.26 | 0.0 | 0 | 0.20 | 0.0 | 0 | 0.11 | 0.0 | 0 | 0.10 | 0.0 | 0 | 0.67 | 0.0 |
| Melanoma of the skin | 0 | 0.09 | 0.0 | 0 | 0.08 | 0.0 | 0 | 0.04 | 0.0 | 0 | 0.03 | 0.0 | 0 | 0.24 | 0.0 |
| Eye | 0 | 0.02 | 0.0 | 0 | 0.02 | 0.0 | 0 | 0.01 | 0.0 | 0 | 0.01 | 0.0 | 0 | 0.06 | 0.0 |
| Brain, central nervous system | 0 | 0.13 | 0.0 | 0 | 0.10 | 0.0 | 0 | 0.06 | 0.0 | 0 | 0.05 | 0.0 | 0 | 0.34 | 0.0 |
| Thyroid gland | 0 | 0.07 | 0.0 | 0 | 0.05 | 0.0 | 0 | 0.03 | 0.0 | 0 | 0.02 | 0.0 | 0 | 0.16 | 0.0 |
| Bone | 0 | 0.02 | 0.0 | 0 | 0.01 | 0.0 | 0 | 0.01 | 0.0 | 0 | 0.00 | 0.0 | 0 | 0.04 | 0.0 |
| Connective tissue | 0 | 0.03 | 0.0 | 0 | 0.02 | 0.0 | 0 | 0.01 | 0.0 | 0 | 0.01 | 0.0 | 0 | 0.07 | 0.0 |
| Lymphatic, hematopoietic system | 0 | 0.47 | 0.0 | 1 | 0.37 | 2.7 | 1 | 0.20 | 5.0 | 1 | 0.18 | 5.6 | 3 | 1.22 | 2.4 |
| Non-Hodgkin's lymphoma | 0 | 0.14 | 0.0 | 0 | 0.11 | 0.0 | 1 | 0.06 | 16.5 | 0 | 0.05 | 0.0 | 1 | 0.36 | 2.8 |
| Hodgkin's disease | 0 | 0.03 | 0.0 | 0 | 0.02 | 0.0 | 0 | 0.01 | 0.0 | 1 | 0.01 | 102.0* | 1 | 0.07 | 13.5 |
| Multiple myeloma | 0 | 0.09 | 0.0 | 0 | 0.08 | 0.0 | 0 | 0.04 | 0.0 | 0 | 0.04 | 0.0 | 0 | 0.25 | 0.0 |
| Leukemias | 0 | 0.21 | 0.0 | 1 | 0.16 | 6.3 | 0 | 0.09 | 0.0 | 0 | 0.07 | 0.0 | 1 | 0.53 | 1.9 |
| Chronic lymphocytic | 0 | 0.10 | 0.0 | 1 | 0.08 | 13.2 | 0 | 0.04 | 0.0 | 0 | 0.03 | 0.0 | 1 | 0.25 | 4.0 |
| Acute nonlymphocytic | 0 | 0.05 | 0.0 | 0 | 0.04 | 0.0 | 0 | 0.02 | 0.0 | 0 | 0.02 | 0.0 | 0 | 0.14 | 0.0 |

+ ICD-7 code = 150.

* P<.05.